


CILINDROS D.E. FIJACIÓN POR PATAS [8500]

Foot-fastening D.A. cylinders [Series 8500] / Vérins D.E. fixation par pieds [Série 8500]
D.W. Hydraulikzylinder mit Fußbefestigung [Serie 8500]



SERIE 8500 / SERIES 8500 / SÉRIE 8500 / SERIE 8500

| REF. | ØA | ØB | E | C | D | F | G | H | I | J | K | L | M | N BSP | O | S |
|--------|-----|-----|-------|-----|---------|-----|----|----|-----|-----|-----|----|-----|----------|----|----|
| 8500/Z | 20 | 32 | 107+Z | 28 | M14x1.5 | 35 | 29 | 18 | 35 | 75 | 95 | 16 | 42 | 1/4 | 20 | 11 |
| 8501/Z | 22 | 40 | 97+Z | 35 | M16x1.5 | 40 | 32 | 22 | 40 | 94 | 118 | 20 | 50 | 3/8 | 25 | 13 |
| 8502/Z | 25 | 40 | 97+Z | 35 | M16x1.5 | 40 | 32 | 22 | 40 | 94 | 118 | 20 | 50 | 3/8 | 25 | 13 |
| 8503/Z | 28 | 40 | 97+Z | 35 | M16x1.5 | 40 | 32 | 22 | 40 | 94 | 118 | 20 | 50 | 3/8 | 25 | 13 |
| 8504/Z | 25 | 50 | 104+Z | 40 | M20x1.5 | 43 | 35 | 28 | 48 | 105 | 130 | 20 | 60 | 3/8 | 25 | 15 |
| 8505/Z | 28 | 50 | 104+Z | 40 | M20x1.5 | 43 | 35 | 28 | 48 | 105 | 130 | 20 | 60 | 3/8 | 25 | 15 |
| 8506/Z | 30 | 50 | 104+Z | 40 | M20x1.5 | 43 | 35 | 28 | 48 | 105 | 130 | 20 | 60 | 3/8 | 25 | 15 |
| 8507/Z | 36 | 50 | 104+Z | 40 | M20x1.5 | 43 | 35 | 28 | 48 | 105 | 130 | 20 | 60 | 3/8 | 25 | 15 |
| 8508/Z | 30 | 60 | 106+Z | 50 | M27x2 | 45 | 34 | 36 | 58 | 130 | 160 | 25 | 70 | 3/8 | 30 | 17 |
| 8509/Z | 35 | 60 | 106+Z | 50 | M27x2 | 45 | 34 | 36 | 58 | 130 | 160 | 25 | 70 | 3/8 | 30 | 17 |
| 8510/Z | 40 | 60 | 106+Z | 50 | M27x2 | 45 | 34 | 36 | 58 | 130 | 160 | 25 | 70 | 3/8 | 30 | 17 |
| 8511/Z | 36 | 63 | 106+Z | 50 | M27x2 | 45 | 34 | 36 | 58 | 130 | 160 | 25 | 75 | 3/8 | 30 | 17 |
| 8512/Z | 40 | 63 | 106+Z | 50 | M27x2 | 45 | 34 | 36 | 58 | 130 | 160 | 25 | 75 | 3/8 | 30 | 17 |
| 8513/Z | 45 | 63 | 106+Z | 50 | M27x2 | 45 | 34 | 36 | 58 | 130 | 160 | 25 | 75 | 3/8 | 30 | 17 |
| 8514/Z | 35 | 70 | 114+Z | 55 | M27x2 | 49 | 36 | 36 | 58 | 140 | 170 | 25 | 80 | 3/8 | 30 | 18 |
| 8515/Z | 40 | 70 | 114+Z | 55 | M27x2 | 49 | 36 | 36 | 58 | 140 | 170 | 25 | 80 | 3/8 | 30 | 18 |
| 8516/Z | 45 | 70 | 114+Z | 55 | M27x2 | 49 | 36 | 36 | 58 | 140 | 170 | 25 | 80 | 3/8 | 30 | 18 |
| 8517/Z | 36 | 80 | 126+Z | 62 | M33x2 | 54 | 36 | 45 | 68 | 160 | 195 | 30 | 95 | 3/8 | 40 | 19 |
| 8518/Z | 40 | 80 | 126+Z | 62 | M33x2 | 54 | 36 | 45 | 68 | 160 | 195 | 30 | 95 | 3/8 | 40 | 19 |
| 8519/Z | 45 | 80 | 126+Z | 62 | M33x2 | 54 | 36 | 45 | 68 | 160 | 195 | 30 | 95 | 3/8 | 40 | 19 |
| 8520/Z | 50 | 80 | 126+Z | 62 | M33x2 | 54 | 36 | 45 | 68 | 160 | 195 | 30 | 95 | 3/8 | 40 | 19 |
| 8521/Z | 56 | 80 | 126+Z | 62 | M33x2 | 54 | 36 | 45 | 68 | 160 | 195 | 30 | 95 | 3/8 | 40 | 19 |
| 8522/Z | 45 | 100 | 138+Z | 73 | M42x2 | 60 | 38 | 56 | 85 | 185 | 225 | 30 | 115 | 1/2 | 40 | 23 |
| 8523/Z | 50 | 100 | 138+Z | 73 | M42x2 | 60 | 38 | 56 | 85 | 185 | 225 | 30 | 115 | 1/2 | 40 | 23 |
| 8524/Z | 56 | 100 | 138+Z | 73 | M42x2 | 60 | 38 | 56 | 85 | 185 | 225 | 30 | 115 | 1/2 | 40 | 23 |
| 8525/Z | 60 | 100 | 138+Z | 73 | M42x2 | 60 | 38 | 56 | 85 | 185 | 225 | 30 | 115 | 1/2 | 40 | 23 |
| 8526/Z | 70 | 100 | 138+Z | 73 | M42x2 | 60 | 38 | 56 | 85 | 185 | 225 | 30 | 115 | 1/2 | 40 | 23 |
| 8527/Z | 70 | 125 | 210+Z | 88 | M48x2 | 82 | 48 | 63 | 92 | 220 | 265 | 35 | 145 | 3/4 | 45 | 25 |
| 8528/Z | 90 | 125 | 210+Z | 88 | M48x2 | 82 | 48 | 63 | 92 | 220 | 265 | 35 | 145 | 3/4 | 45 | 25 |
| 8529/Z | 80 | 140 | 225+Z | 100 | M64x3 | 90 | 58 | 85 | 120 | 250 | 300 | 40 | 160 | 3/4 | 50 | 30 |
| 8530/Z | 90 | 160 | 238+Z | 115 | M80x3 | 100 | 58 | 95 | 130 | 295 | 355 | 40 | 180 | 1 | 60 | 35 |
| 8531/Z | 110 | 160 | 238+Z | 115 | M80x3 | 100 | 58 | 95 | 130 | 295 | 355 | 40 | 180 | 1 | 60 | 35 |
| 8532/Z | 110 | 200 | 278+Z | 140 | M80x3 | 111 | 63 | 95 | 130 | 355 | 425 | 50 | 230 | 1 | 70 | 41 |

Z = carrera (a definir por el cliente) / Z = stroke (to be defined by customer)

Z = course (à définir par le client) / Z = Hub (vom Kunden festzulegen)