

MALE X MALE ADAPTORS


BSP MALE X BSP MALE



ORFS MALE X ORFS MALE




ORFS MALE X ORFS MALE BULKHEAD ONLY




BSP MALE X BSP MALE BULKHEAD WITH LOCKNUT








BSP MALE X BSP MALE EXTENDED BULKHEAD WITH LOCKNUT




BSP MALE X BSPT MALE






BSP MALE X JIC MALE






NPTF MALE X NPTF MALE




NPTF MALE X BSP MALE






NPTF MALE X JIC MALE




METRIC MALE 1.5MM PITCH X BSP MALE






METRIC MALE 1MM PITCH X BSP MALE






METRIC MALE 1.5MM PITCH X JIC MALE

74°











JIC MALE X JIC MALE BULKHEAD WITH LOCKNUT




SAE 'O' RING BOSS MALE LESS 'O' RING X BSP MALE






SAE 'O' RING BOSS MALE LESS 'O' RING X JIC MALE



MALE X SWIVEL FEMALE ADAPTORS

BSP MALE X BSP SWIVEL FEMALE




BSP MALE X JIC SWIVEL FEMALE




JIC MALE X JIC SWIVEL FEMALE






JIC MALE X BSP SWIVEL FEMALE



ORFS MALE X ORFS SWIVEL FEMALE






SWIVEL FEMALE X SWIVEL FEMALE ADAPTORS

°0°

BSP SWIVEL FEMALE X BSP SWIVEL FEMALE




OWFIT® TECHNICAL DATA SHEET <u>F</u>

MALE X FIXED FEMALE & FIXED FEMALE/FEMALE ADAPTORS


BSP MALE X BSP FIXED FEMALE EXTENDED






BSP MALE 60° CONE X BSP FIXED FEMALE BUSH






NPTF MALE X NPTF FIXED FEMALE BUSH





BSP FIXED FEMALE X BSP FIXED FEMALE





TEES & CROSS ADAPTORS


BSP MALE TEE CONE SEATING








BSP MALE FORGED TEE




ORFS MALE X ORFS MALE X UNF MALE POSITIONAL TEE




ORFS MALE X UNF MALE X ORFS MALE TEE




JIC MALE X JIC MALE X UNF MALE POSITIONAL TEE



JIC MALE X UNF POSITIONAL MALE X JIC MALE TEE



JIC MALE X JIC MALE X JIC SWIVEL FEMALE BRANCH FORGED TEE




JIC MALE X JIC SWIVEL FEMALE X JIC MALE BRANCH FORGED TEE






BSP MALE X BSP SWIVEL FEMALE X BSP MALE BRANCH TEE REDUCING ON BRANCH




BSP MALE X BSP MALE X BSP SWIVEL FEMALE BRANCH TEE





JIC MALE X JIC SWIVEL FEMALE X JIC MALE BRANCH TEE






ORFS MALE X ORFS SWIVEL FEMALE X ORFS MALE TEE


740






BSP MALE TEE FOR BONDED SEAL






BSP MALE X BSP SWIVEL FEMALE X BSP MALE BRANCH TEE




BSP SWIVEL FEMALE TEE






ELBOW ADAPTORS

ORFS MALE X BSP MALE 90° POSITIONAL FORGED ELBOW



BSP MALE X BSP MALE 90° POSITIONAL FORGED ELBOW



BSP MALE X BSP MALE 45°POSITIONAL FORGED ELBOW



FI


JIC MALE X UNF MALE 90° POSITIONAL FORGED ELBOW






JIC MALE X JIC MALE 90° FORGED COMPACT ELBOW





ORFS MALE X ORFS SWIVEL FEMALE 90 FORGED COMPACT ELBOW




ORFS MALE X ORFS SWIVEL FEMALE 45° FORGED COMPACT ELBOW






BSP MALE X BSP SWIVEL FEMALE 90° FORGED COMPACT ELBOW



JIC MALE X JIC SWIVEL FEMALE 90° FORGED COMPACT ELBOW






JIC MALE X JIC SWIVEL FEMALE 45° FORGED COMPACT ELBOW



BSP MALE X BSP SWIVEL FEMALE 45° FORGED COMPACT ELBOW




BSP SWIVEL FEMALE X BSP SWIVEL FEMALE 90° FORGED COMPACT ELBOW



BSP MALE FOR BONDED SEAL X BSP SWIVEL FEMALE 90° COMPACT ELBOW











NPTF MALE X NPTF FIXED **FEMALE 90° COMPACT ELBOW**







JIC MALE X JIC SWIVEL FEMALE 90° COMPACT ELBOW





BSP SWIVEL FEMALE X BSP SWIVEL FEMALE 90° COMPACT ELBOW





PLUGS, CAPS & CRIMP NUTS





BSP SOLID PLUG



BSP 60° CONED PLUG





BSP SOCKET HEADED PLUG WITH 3869 SEAL






BSP SWIVEL BLANKING CAP



NPTF SOLID PLUG



SAE O RING BOSS MALE SOLID PLUG





JIC SOLID PLUG





BSPT SOLID PLUG







JIC SWIVEL BLANKING CAP



SWEPTS, PUSH-INS, HOSE-TAILS & FERRULES

BSP MALE X BSP SWIVEL FEMALE 90° SWEPT ELBOW





BSP SWIVEL FEMALE X PUSH-IN 90° SWEPT ALL PUSH-INS NOT FOR USE WITH CLIPS OR FERRULES.





BSP SWIVEL FEMALE X PUSH-IN STRAIGHT ALL PUSH-INS NOT FOR USE WITH CLIPS OR FERRULES.





R2A FERRULES



R2T FERRULES FOR NON-SKIVED R2T HOSE



BONDED SEALS



Bonded seals are used in pressurised hydraulic systems as a seal between the faces of components.

They consist of a metal washer to which a trapezoidal elastomeric ring is bonded and are designed to work in hydraulic systems where the metal ring ensures that bursting forces applied to the ring are resisted.

These seals come in sizes from 1/8" BSP to 2" BSP in quantaties from 10 to 100 off.

Self Centering Nitrile Inserts Mild Steel Cadmium