




ACCESSORI
ACCESSORIES



FILTREC®
Technical Filtration

serie
FB-1



Serie FB-1

Filtri sfiato aria
Air breather filters



FILTER HOUSING

Description:

Max flow rate:

Port Connection:

Materials:

Technical Information

Thread air breather filters.

FB1-10 200 l/min. (53 gpm)


FB1-20 500 l/min. (132 gpm)

FB1-20 1000 l/min. (264 gpm)

BSP – Metric

Zinc steel

Informazioni dimensionali - Overall dimensions



ORDER CODE	THREAD	LENGTH	Ø/D	MICRON	AIRFLOW
FB110B1C05	1/4" BSP	54MM	48MM	5 MICRON	200 L/MIN
FB110B1C10	1/4" BSP	54MM	48MM	10 MICRON	200 L/MIN
FB110B1C40	1/4" BSP	54MM	48MM	40 MICRON	200 L/MIN
FB110B2C05	3/8" BSP	54MM	48MM	5 MICRON	200 L/MIN
FB110B2C10	3/8" BSP	54MM	48MM	10 MICRON	200 L/MIN
FB110B2C40	3/8" BSP	54MM	48MM	40 MICRON	200 L/MIN
FB120B3C05	1/2" BSP	69MM	67MM	5 MICRON	500 L/MIN
FB120B3C10	1/2" BSP	69MM	67MM	10 MICRON	500 L/MIN
FB120B3C40	1/2" BSP	69MM	67MM	40 MICRON	500 L/MIN
FB120B4C05	3/4" BSP	69MM	67MM	5 MICRON	500 L/MIN
FB120B4C10	3/4" BSP	69MM	67MM	10 MICRON	500 L/MIN
FB120B4C40	3/4" BSP	69MM	67MM	40 MICRON	500 L/MIN
FB130B5C05	1" BSP	91MM	108MM	5 MICRON	1000 L/MIN
FB130B5C10	1" BSP	91MM	108MM	10 MICRON	1000 L/MIN
FB130B5C40	1" BSP	91MM	108MM	40 MICRON	1000 L/MIN

OPTIONAL EXTRAS

CONNECTION PORTS

METRIC THREADS AVAILABLE ON REQUEST

1) Grandezza nominale - Nominal size

Codice - Code	A	B	C	D	E	F	CH
FB-1-10	48	32	B1	9	45	54	14
	48	32	B2	9	45	54	19
	48	32	M12	9	45	54	14
	48	32	M16	9	45	54	19
	48	32	M18	9	45	54	19
	48	32	M22	10	45	55	24
FB-1-20	67	50	B3	10	59	69	27
	67	50	B4	10	59	69	27
	67	50	M16	10	59	69	27
FB-1-30	108	61	B5	15	76	91	34

2) Connessioni - Connection port

Codice - Code	Connessione - Connection
B1	1/4" BSP
B2	3/8" BSP
B3	1/2" BSP
B4	3/4" BSP
B5	1" BSP
M12	M12 x 1,5
M16	M16 x 1,5
M18	M18 x 1,5
M22	M22 x 1,5

3) Grado di filtrazione - Filtration ratings

Codice - Code	Materiale - Media	Efficienza - Efficiency
C05	carta trattata resin impregnated cellulose	$\beta_{05} \geq 2$
C10	carta trattata resin impregnated cellulose	$\beta_{10} \geq 2$
C40	rete vellutata elettrostaticamente electrostatically velvety wire	$\beta_{40} \geq 2$

Codici per l'ordinazione - Ordering information

Filtro
Filter

FB-1

10

B2

C10

1*

2*

3*