
Self-Centring Range



THREAD SIZE M	SIZE REFERENCE	do ±0.13	Có CENTRALISING LIP		E	P	R ±0.1	d10 ±0.10	DØ +0.13	\$ ±0.10
M8	866	8.70	6.40	-0+0.25	0.380.63	0.250.51		10.40	14.00	1.00
1/a BSP	820	10.37	8.26					11.84	15.88	-2.00
M10	708	10.70	8.05					12.40	16.00	1.50
M12	867	12.70	9.73					14.10	19.00	1.50
1/4 BSP	821	13.74	11,18					15.21	20.57	2.00
M14	868	14.70	11.38					16.40	22.00	1.50
1/8	869	16.51	12.90					18.75	25.40	2.00
M16	870	16.70	13.41					18.40	24.00	1.50
³∕∧ BSP	823	17.28	14.76					18.75	23.80	2.00
11/16	871	18.16	14.50					19.69	25.40	2.40
M18	872	18.70	14.76					20.40	26.00	1.50
M20	873	20.70	16.76					22,50	28.00	1.50
1/≥ BSP	825	21.54	18.24					23.01	28.58	2.47
M22	874	22.70	18.74					24.40	30.00	2.00
1/8 BSP	826	23.49	20.27					24.97	31.75	2.47
M24	875	24.70	20.11					26,40	32.00	2.00
1/4 BSP	827	27.05	23.83					28.53	34.93	2.47
³/s BSP	829	30.81	27,51					32.29	38.10	2.47
1 BSP	830	33.89	29.92					36.88	42.80	3.40
1 1/4 BSP	832	42.93	38.45					45.93	52.38	3.40
11/2 BSP	833	48.44	44.45					51.39	58.60	3.40
11/4 BSP.	834	54.89	50.42					58.30	69.85	3.40
2 BSP	836	60.58	56.26					63.63	73.03	3.40
2'/4 BSP	838	66.68	62.36					69.98	79.50	3.40
21/2 BSP	839	76.08	71.50					79.38	90.17	3.40