




SERIES 700

REF.	ØA	ØB	STROKE Z	E	C	D	F	G	H	I	J	K	L	M BSP	VOL (L)	SEALS JOINTS	WEIGHT (kg)
700/05	20	32	50	205	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	1,7
700/10	20	32	100	255	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	2
700/15	20	32	150	305	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	2,3
700/20	20	32	200	355	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	2,6
700/250	20	32	250	405	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	2,9
700/30	20	32	300	455	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	3,2
700/350	20	32	350	505	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	3,4
700/400	20	32	400	555	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	3,6
700/500	20	32	500	655	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	4,2
700/600	20	32	600	755	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	4,8
700/700	20	32	700	855	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	5,3
700/800	20	32	800	955	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	6,2
700/900	20	32	900	1055	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	6,8
700/1000	20	32	1000	1155	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	7,2
700/1100	20	32	1100	1255	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	8
700/1200	20	32	1200	1355	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	8,6
700/1300	20	32	1300	1455	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	9,2
700/1400	20	32	1400	1555	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	9,8
700/1500	20	32	1500	1655	16	16,2	35	40	28	30	47	35	13	1/4	0,04	J2032DBM	10,4
701/1	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	3
701/150	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	3,5
701/2	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	3,9
701/250	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	4,5
701/3	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	4,8
701/350	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	5,4
701/4	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	5,8
701/450	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	6,3
701/5	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	6,7
701/600	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	7,7
701/700	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	8,7
701/800	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	9,6

SERIES 700

REF.	ØA	ØB	STROKE Z	E	C	D	F	G	H	I	J	K	L	M BSP	VOL (L)	SEALS JOINTS	WEIGHT (kg)
701/900	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	10,6
701/1000	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	11,6
701/1100	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	12,4
701/1200	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	13,4
701/1300	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	14,3
701/1400	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	15,3
701/1500	25	40	100	270	17,7	20,25	40	50	54,5	35	37,5	40	15	3/8	0,13	J2540DBM	16,2
702/1	30	50	100	300	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	4,4
702/150	30	50	150	350	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	6,1
702/2	30	50	200	400	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	5,7
702/250	30	50	250	450	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	6,4
702/3	30	50	300	500	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	6,9
702/350	30	50	350	550	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	7,7
702/4	30	50	400	600	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	8,1
702/450	30	50	450	650	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	8,8
702/5	30	50	500	700	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	9,6
702/6	30	50	600	800	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	10,6
702/7	30	50	700	900	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	11,7
702/800	30	50	800	1000	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	13,1
702/900	30	50	900	1100	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	14,3
702/1000	30	50	1000	1200	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	15,5
702/1100	30	50	1100	1300	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	16,8
702/1200	30	50	1200	1400	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	18,1
702/1300	30	50	1300	1500	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	19,4
702/1400	30	50	1400	1600	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	20,2
702/1500	30	50	1500	1700	22	25,25	45	60	75	40	42	43	15	3/8	0,2	J3050DBM	21,8
703/1	30	60	100	300	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	5,5
703/150	30	60	150	350	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	6,4
703/2	30	60	200	400	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	7,1
703/250	30	60	250	450	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	7,7
703/3	30	60	300	500	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	8,2
703/350	30	60	350	550	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	9,2
703/4	30	60	400	600	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	9,6
703/450	30	60	450	650	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	10,5
703/5	30	60	500	700	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	10,9
703/6	30	60	600	800	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	12,3
703/7	30	60	700	900	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	13,6
703/800	30	60	800	1000	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	15,1
703/900	30	60	900	1100	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	16,5
703/1000	30	60	1000	1200	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	17,9

SERIES 700

REF.	ØA	ØB	COURSE Z	E	C	D	F	G	H	I	J	K	L	M BSP	VOL (L)	SEALS JOINTS	WEIGHT (kg)
703/1100	30	60	1100	1300	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	19,2
703/1200	30	60	1200	1400	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	20,6
703/1300	30	60	1300	1500	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	22
703/1400	30	60	1400	1600	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	23,3
703/1500	30	60	1500	1700	22	25,25	45	70	73	40	42	45	15	3/8	0,28	J3060DBM	24,7
704/100	40	70	100	310	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	8,5
704/2	40	70	200	410	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	10,1
704/250	40	70	250	460	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	11,3
704/3	40	70	300	510	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	12
704/350	40	70	350	560	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	12,9
704/4	40	70	400	610	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	13,8
704/450	40	70	450	660	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	15,1
704/5	40	70	500	710	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	15,7
704/550	40	70	550	760	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	17
704/6	40	70	600	810	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	16,6
704/7	40	70	700	810	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	19,5
704/800	40	70	800	1010	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	21,6
704/900	40	70	900	1110	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	23,7
704/1000	40	70	1000	1210	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	25,4
704/1100	40	70	1100	1310	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	27,5
704/1200	40	70	1200	1410	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	29,4
704/1300	40	70	1300	1510	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	31,3
704/1400	40	70	1400	1610	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	33,2
704/1500	40	70	1500	1710	28	30,5	55	80	69	50	47	49	15	3/8	0,39	J4070DBM	35,1
705/100	40	80	100	310	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	10,4
705/2	40	80	200	410	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	12
705/250	40	80	250	460	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	13
705/3	40	80	300	510	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	14
705/350	40	80	350	560	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	15,1
705/4	40	80	400	610	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	16
705/5	40	80	500	710	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	18,1
705/6	40	80	600	810	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	20,1
705/7	40	80	700	910	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	22,1
705/800	40	80	800	1010	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	24,2
705/900	40	80	900	1110	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	26,6
705/1000	40	80	1000	1210	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	28,6
705/1100	40	80	1100	1310	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	30,6
705/1200	40	80	1200	1410	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	32,7
705/1300	40	80	1300	1510	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	34,7
705/1400	40	80	1400	1610	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	36,7

SERIES 700

REF.	ØA	ØB	STROKE Z	E	C	D	F	G	H	I	J	K	L	M BSP	VOL (L)	SEALS JOINTS	WEIGHT (kg)
705/1500	40	80	1500	1710	28	30,5	55	90	64	50	47	54	16	3/8	0,5	J4080DBM	38,8
708/2	50	90	200	425	28	30,5	70	105	71	60	48	60	15	3/8	1,27	J5090DBM	19,2
708/3	50	90	300	525	28	30,5	70	105	71	60	48	60	15	3/8	1,27	J5090DBM	22,5
708/4	50	90	400	625	28	30,5	70	105	71	60	48	60	15	3/8	1,27	J5090DBM	25,9
708/5	50	90	500	725	28	30,5	70	105	71	60	48	60	15	3/8	1,27	J5090DBM	29,2
708/6	50	90	600	825	28	30,5	70	105	71	60	48	60	15	3/8	1,27	J5090DBM	32,6
708/7	50	90	700	925	28	30,5	70	105	71	60	48	60	15	3/8	1,27	J5090DBM	35,9
706/100	50	100	100	325	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	18,2
706/200	50	100	200	425	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	21,7
706/3	50	100	300	525	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	26,3
706/4	50	100	400	625	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	29,8
706/5	50	100	500	725	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	32,3
706/600	50	100	600	825	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	35,8
706/7	50	100	700	925	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	39,3
706/800	50	100	800	1025	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	42,8
706/9	50	100	900	1125	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	46,4
706/1000	50	100	1000	1225	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	49,9
706/1100	50	100	1100	1325	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	53,4
706/1200	50	100	1200	1425	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	57
706/1300	50	100	1300	1525	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	60,5
706/1400	50	100	1400	1625	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	64,1
706/1500	50	100	1500	1725	28	30,5	70	115	70	60	48	60	16	1/2	0,79	J50100DBM	67,5
707/300	70	120	300	570	40	40,5	80	140	75	80	65	82	20	1/2	3,39	J70120DBM	47,0
707/400	70	120	400	670	40	40,5	80	140	75	80	65	82	20	1/2	3,39	J70120DBM	53,2
707/5	70	120	500	770	40	40,5	80	140	75	80	65	82	20	1/2	3,39	J70120DBM	59,5
707/600	70	120	600	870	40	40,5	80	140	75	80	65	82	20	1/2	3,39	J70120DBM	65,7
707/700	70	120	700	970	40	40,5	80	140	75	80	65	82	20	1/2	3,39	J70120DBM	71,9
707/800	70	120	800	1070	40	40,5	80	140	75	80	65	82	20	1/2	3,39	J70120DBM	78,2
707/900	70	120	900	1170	40	40,5	80	140	75	80	65	82	20	1/2	3,39	J70120DBM	84,4
707/10	70	120	1000	1270	40	40,5	80	140	75	80	65	82	20	1/2	3,39	J70120DBM	90,6

