

Aluminium multiplier KM710 series



KM7105



KM7106




KM7107



KM7108

Spare parts:




No.	Description	Quantity	No.	Description	Quantity
1	Nut M8	6	15	Gasket	4
2	Cover	1	16	Oil drain plug 3/8"	2
3	Sealing ring $\phi 45 \times 62 \times 8$	1	17	Socket cap screw M8 $\times$ 35	6
4	Bearing type 6009	2	18	Oil level plug 3/8"	1
5	Bearing type 6010	2	19	Oil filling cap 3/8"	1
6	Peg 6 $\times$ 12	2	20	Cap DIN 470 $\phi 37$	1
7	Gasket	1	21	Pinion gear	1
8	Male/male 1 3/8" DIN 9611	1	22	Snap ring UNI 7435-50	1
9	Female/female 1 3/8" DIN 9611	1	23	Ring	1
10	Female/male 1 3/8" DIN 9611	1	24	Spring	1
11	Snap ring dia.50	1	25	Spring ring	1
12	Ring gear	1	26	Ball	3
13	Sealing ring $\phi 50 \times 65 \times 8$	1	27	Female/male 1 3/8" DIN 9611 + tightening	1
14	Housing	1	28	Key 12 $\times$ 25	1

Technical sheet:


Input torque (Nm)	Output torque (Nm)	Input speed (r/min)	Transmission ratio	Output speed (r/min)	Power (Kw)	Weight (Kg)
380	260	540	1.5	810	20	9.7
430	210	540	2	1080	20	9.7
460	180	540	2.5	1350	20	9.7
490	160	540	3	1620	20	9.7
460	130	540	3.5	1836	20	9.7
437	115	540	3.8	2052	20	9.7

Aluminium multiplier KM710 series


Three views:




P.T.O.




5



6




7




8


Mounting positions



A



B




C



D

Aluminium multiplier KM710 series

How to order:



For example: KM7105-4AT

Aluminium multiplier KM710 series



KM7109




KM71011



KM71024

Spare parts:




No.	Description	Quantity	No.	Description	Quantity
1	Nut M8	6	12	Sealing ring $\phi 50 \times 65 \times 8$	1
2	Cover	1	13	Housing	1
3	Sealing ring $\phi 45 \times 62 \times 8$	1	14	Gasket	4
4	Bearing type 6009	2	15	Oil drain plug 3/8"	2
5	Bearing type 6010	2	16	Socket cap screw M8 $\times$ 35	6
6	Peg 6 $\times$ 12	2	17	Oil level plug 3/8"	1
7	Gasket	1	18	Oil filling cap 3/8"	1
8	Female/female 1 3/8" DIN 9611 short	1	19	Cap DIN 470 ϕ 37	1
9	Female/male 1 3/8" DIN 9611 short	1	20	Pinion gear	1
10	Snap ring dia.50	1	21	Key 12 $\times$ 25	1
11	Ring gear	1	22	Male 50 $\times$ 45 Z24 DIN 5482 + male 1 3/8" DIN 9611	1

Technical sheet:


Input torque (Nm)	Output torque (Nm)	Input speed (r/min)	Transmission ratio	Output speed (r/min)	Power (Kw)	Weight (Kg)
380	260	540	1.5	810	20	9.7
430	210	540	2	1080	20	9.7
460	180	540	2.5	1350	20	9.7
490	160	540	3	1620	20	9.7
460	130	540	3.5	1836	20	9.7
437	115	540	3.8	2052	20	9.7

Aluminium multiplier KM710 series


Three views:




P.T.O.



9




11




24

Mounting positions



Aluminium multiplier KM710 series

How to order:



For example: **KM71024-3AT**